



plān|ī'sphēre



City of Bayside
Highett Neighbourhood Character Review
DRAFT AUGUST 2010

Contents

Introduction.....	4
Existing Policy and Controls	5
Recent Applications and VCAT Determination.....	6
Study Area.....	8
Surrounding Areas	10
Analysis and Recommendations	11
Proposed Guidelines for the Study Area	12
Preferred Future Character	12
Guidelines	13
Planning Scheme Implementation.....	15

Introduction

Planisphere has been engaged by the City of Bayside to undertake a review of two former industrial areas in Highett to ascertain the appropriate neighbourhood character controls or policy. It is envisaged that these two areas, recently rezoned from industrial to Residential 1, will be redeveloped for residential purposes. The Council is concerned to ensure the appropriate neighbourhood character policy is applied to advise landowners and developers, and to assess the proposed redevelopments.

The purpose of this review is to ascertain whether the neighbourhood character policy to apply to the former industrial areas should be the existing policy/guidelines applying to the surrounding residential area, or an alternative set of guidelines or policy specific to these sites. It was anticipated at commencement that a modified set of guidelines, reflecting certain elements of those in the surrounding residential precinct, would need to be prepared given the variation in the built form between the subject sites and the surrounding area.


Process

The following tasks were undertaken in the preparation of this review:

- Review of background material including existing planning applications and the neighbourhood character guidelines applicable to the surrounding residential precinct;
- Site inspection, including a review of the immediate surrounding area;
- Preparation of neighbourhood character guidelines for the subject areas;
- Preparation of planning scheme implementation recommendations.

Study Area

The two areas below are referred to as the Study Area for this review.



Existing Policy and Controls

State Planning Policy Framework

Clause 19.03 Design and Built Form

Clause 19.03, Design and Built Form, seeks to achieve high quality urban design and architecture that:

- Reflects the particular characteristics, aspirations and cultural identity of the community;
- Enhances liveability, diversity, amenity and safety of the public realm; and
- Promotes attractiveness of towns and cities within broader strategic contexts.

Clause 19.03 recommends that these objectives are implemented through the requirement of a site analysis accompanying any application for residential or non-residential development requiring a permit. The site analysis should explain how the proposed development responds to the site and its context. Clause 19.03 also requires that development must take into account the natural, cultural and strategic context of its location, and advises that the public realm (including main pedestrian spaces, streets, squares, parks and walkways) should be protected and enhanced.

Municipal Strategic Statement

Clause 21.05 Housing

The Housing Policy highlights increasing demand for a greater variety of housing types and the need for the municipality to provide these. The policy states that new medium density housing will be primarily directed towards areas in and around activity centres.

Local Planning Policies

Clause 22.07 Neighbourhood Character Policy

At the time the Neighbourhood Character Study and subsequent Neighbourhood Character Policy were prepared, the subject area was included in an industrial zone and therefore excluded from the Study Area. The residential area surrounding the subject sites was included in a precinct called G1.

General Provisions

Clause 65: Decision Guidelines

Clause 65 sets out decision guidelines for the approval of an application or plan as well as the approval of an application to subdivide land. Before deciding on an application, the responsible authority must consider the guidelines set out in the clause and must decide whether the proposal will produce acceptable outcomes in the context of the guidelines.

Zones

The provisions of the Residential 1 Zone (R1Z) apply to the entire area.

The purposes of the R1Z, among other things, are to:

- provide for residential development at a range of densities with a variety of dwellings to meet the housing needs of all households;
- Encourage residential development that respects the neighbourhood character;

Dependent on the application, the R1Z requires the consideration of relevant provisions of the State Planning Policy Framework and the Local Planning Policy Framework as well as clauses 54, 55 and 56 (ResCode).

The schedule to the R1Z in Bayside varies the minimum street setback, site coverage, side and rear setback and front fence height ResCode standards.

Overlays

Schedule 2 to the Design and Development Overlay: Building Height Control – Inland Areas

DDO2 applies to inland areas of the municipality, including all properties in the subject area. The objectives of DDO2 are to:

- Achieve architectural and urban design outcomes that contribute positively to local urban character and enhance the public realm while minimising detrimental impact on neighbouring properties;
- Preserve the existing character and amenity of the areas as low rise (up to two storeys) suburban areas with a strong garden character;
- Maintain the prevailing streetscape rhythm, building scale and height of neighbourhoods;
- Maintain a strong landscape character with buildings set within vegetated surrounds.

A permit is required to construct any building with a height of more than 2 storeys, or above:

- 9 metres; or
- 10 metres where the slope of the natural ground level at any cross section of the site of the building wider than 8 metres is 2.5 degrees or more.

Environmental Audit Overlay

The EAO applies to all of the properties within the Study Area. The purpose of the overlay is to ensure that potentially contaminated land is suitable for a use which could be significantly adversely affected by any contamination. Before a sensitive use commences, or before buildings are constructed, the land must be certified for use.

Special Building Overlay

The SBO applies to part of Sydenham and Noyes Street only. The purposes of the SBO, among other things, are to identify land in urban areas liable to inundation and ensure that development maintains the free passage and temporary storage of floodwaters and minimises flood damage.

Recent Applications and VCAT Determination

In 2009 Council received an application for the construction of two and three storey apartment style buildings containing 26 dwellings at 29-33 Beaumaris Parade and 34 Tibrockney Street, Highett. The redevelopment proposal was conditionally supported by Council officers, but refused by Council on the grounds of, among other things, non-compliance with DDO2 objectives, visual bulk to the streetscape, lack of respect for existing residential character and inadequate landscaping opportunities.

The application was submitted for review at VCAT in February 2010. At the time of the review, the subject site had been rezoned to Residential 1, but no specific neighbourhood character direction had been established for the two former industrial areas of Highett. Council's decision to refuse the application was affirmed by VCAT due to several reasons including two that are particularly relevant to this Review. Firstly, it was found that there was a lack of justification for the intensity of development. Clause 12.01 sets out a list of criteria aimed at identifying strategic redevelopment sites. Given the site's lack of proximity to a principal or major activity centre and access to the Principal Public Transport Network, it could not be identified as a strategic redevelopment site and therefore should not be redeveloped at such a level of intensity. Secondly, it was found that the proposal did not achieve an acceptable response to its site context. VCAT concluded that too much

attention had been paid to the industrial context, and not enough attention to the more suburban residential interfaces. Given the lack of neighbourhood character policy applying the site, the decision took into account the neighbourhood character of Precinct G1 (the surrounding neighbourhood character precinct) and it was found that greater street setbacks and landscaping would assist the development.

In preparing the guidelines in this Review, the decision of VCAT in this case has been taken into account. It is acknowledged that the sites have greater opportunities for intensive redevelopment due to their characteristics; however, there is an opportunity for the redevelopment of sites to provide an improved interface to the traditional suburban surrounds. This can be achieved through measures such as the provision of greater setbacks and improved landscaping.

Study Area

The Study Area comprises two separate areas in Highett that have been rezoned from industrial to Residential 1.

Area 1: bounded by Tibrockney Street, Sterling Avenue and Beaumaris Parade



34 Tibrockney St



31-33 Beaumaris Pde
(Sterling Ave frontage)



29 Beaumaris Pde



27 Beaumaris Pde



25 Beaumaris Pde



23 Beaumaris Pde



This area contains a number of individual warehouse buildings with the following characteristics:

Building height	The height of buildings ranges between one and two storeys (equivalent to one-2.5 residential storeys)
Building Era	Most of the warehouse buildings date back to the Interwar or Post-war era. There is also some 1970s infill.
Building form	There are some common characteristics in the form of buildings including flat or occasional saw-tooth roof forms and large warehouse windows.
Materials	Generally constructed of red or yellow brick, some with painted or rendered exteriors. Roofs are predominantly corrugated iron.
Setbacks	Setbacks are varied: some buildings abut front and/or side boundaries while others are set back from the front, and occasionally from the side.
Landscaping	Vegetation is minimal in setbacks, as setbacks are generally used for car parking.

Area 2: Properties along Noyes Street and Sydenham Street



1 Noyes St



2 Noyes St



3 Noyes St



4 Noyes St



5 Noyes St



1 Sydenham St



3 Sydenham St



This area contains a number of individual buildings with the following characteristics:

Building height The height of buildings ranges between one and two storeys (equivalent to one-2.5 residential storeys).

Building Era Buildings generally date to the Post-war era, with several from the 1960s, as well as some recent construction.

Building form Warehouse style construction with parapets at the front of some buildings, and flat or single pitch roofs. Some large warehouse windows are present on building frontages.

Materials Brick or render with corrugated iron roofs.

Setbacks Setbacks are varied: some buildings abut front and/or side boundaries while others are set back from the front and occasionally from the side.

Landscaping Vegetation is minimal in setbacks. Setbacks are generally used for car parking.



7 Sydenham St

Surrounding Areas

Description

Dwellings in the surrounding areas of both locations reflect the description provided by the Neighbourhood Character Study for the precinct they are located in, G1:

This area contains a variety of single storey, predominantly Post-War dwellings with low pitched roof forms. They are often double or triple fronted and comprising cream and red brick, weatherboard or fibro materials. There are some pockets of more recent development often of reproduction styles and two storey. Front setbacks vary across the area from 6 to 8m and dwellings are usually setback from both boundaries with garages sometimes built to the boundary. Gardens are predominantly low lying, with exotic shrubs and lawn, with occasional large trees allowing views to the dwellings and providing a backdrop of vegetation. Front fences are mixed with some streets where fences are predominantly low or open style, and others where high fences are more common. Street tree planting is mixed and sporadic.

Examples of the Surrounding Built Form



Preferred Future Character

The preferred future character of Precinct G1 is described in the following statement which is included in the Neighbourhood Character Policy at Clause 22.07:

The well-articulated dwellings sit within landscaped gardens, some with established trees. New buildings are frequent and are designed to respond to the site, and include a pitched roof form to reflect the dominant forms in the area. Buildings are occasionally built to the side boundary, however the overall impression of the streetscape is of buildings within garden settings due to the regular front setbacks, well vegetated front yards and additional street tree planting in the area.

Analysis and Recommendations

There is an obvious distinction between the built form in the Study Area and the surrounding areas. Although there are other examples of buildings across the municipality that are inconsistent with the character of their precinct, these two locations are distinctive in that they were previously zoned for industrial uses, are contained within discrete clusters and are located between commercial and traditional residential areas. Many of the buildings in the Study Area appear to have been constructed over 50 years ago, and may pre-date the housing surrounding it.

Analysis of the existing character of the Study Area and the surrounding residential areas reveals the distinctions and similarities.

Height and scale

With occasional exceptions where new development has occurred, the buildings are low-scale at 1-2 storeys. This is compatible with the scale of the surrounding residential area that is predominantly single storey and recent two storey development.

Form

Building form is considerably different between the areas, with the Study Area containing buildings with little articulation and flat, single pitch or saw tooth roof forms. The residential building forms, while simple, are heavily articulated by comparison, in form and design.

Siting

Existing buildings in the Study Area have little in common with the surrounding area in terms of siting. Buildings in the Study Area are often built to the boundaries (either front or side and sometimes to all boundaries) whereas buildings in the surrounding residential areas have consistent front setbacks, and side and rear setbacks.

Materials

The materials used in the Study area are typical of commercial buildings of the era, and include brick, tilt slab concrete and render. The residential buildings are typically brick, weatherboard or fibro cement.

Conclusions

With the exception of one property, in Area 2 (7 Sydenham Street), it is clear that the general height and scale of buildings in the Study Area is compatible with the existing character of the surrounding precinct, G1, while the building siting and form within the Study Area is not consistent.

Having regard to the inclusion of the Study Area in the residential zone, and the likely change of use and building stock that is already commencing within these areas to conform with the new zoning, it is desirable to integrate the new residential development with the existing development in surrounding areas. A perpetuation of the existing building siting and forms in new development would appear to be artificially reconstructing the former industrial character, whereas requiring new development to conform more to the siting and forms of the surrounding residential development would appear to better reflect the intended use of the area.

The redevelopment and/or re-use of the existing commercial and industrial buildings in the Study Area will provide the opportunity to achieve a greater level of amenity and, in some cases, consistency with nearby residential areas, and improve the interface between the Study Area and the surrounding areas.

In proposals that involve substantial re-use of the existing buildings cosmetic improvements including landscaping to soften the appearance of the buildings, reducing crossover widths to domestic scale, and

alterations to reflect a residential use will assist in creating improved visual linkages between the Study Area and surrounding areas.

The total redevelopment of sites provides the opportunity to achieve a built form that relates more closely to the traditional suburban surrounds. As the existing industrial buildings in the area have been a part of the area's character for some time, it is considered unreasonable to require new development to conform to the exact setback requirements of the preferred character and guidelines of Precinct G1 which may involve part demolition of the existing buildings. However improvements to the appearance of the building and any frontage setback area and side and rear setback areas where appropriate, to better reflect the nearby development, can be achieved through guidelines.

In both cases therefore a preferred character description and guidelines are required that recognise the industrial roots of the area, but also its transition to a residential area. The accompanying guidelines need to provide for proposals that involve re-use of the existing building and those that involve predominant or complete replacement of the buildings with new residential development.

Recommendation

It is therefore recommended that both areas be included in a new Neighbourhood Character Precinct, and that the guidelines in the following section be applied to new development.

The property at 7 Sydenham Street is an exception to this as the new dwelling currently under construction on this site appears consistent with the character of the surrounding precinct, G1, and should therefore be added to that Precinct.

Proposed Guidelines for the Study Area

It is proposed that a new Precinct be created that encompasses both areas included within the Study Area. To continue the numbering system established in the Neighbourhood Character Study, it is recommended that the new Precinct be known as G3.

The guidelines need to seek to implement a balanced approach to the future character of the Study Area. It is not expected that new development will or should re-use existing buildings however this should not be discouraged. Guidance is therefore provided for situations in which buildings are proposed for re-use and situations where demolition and re-building is proposed.

Where buildings are proposed for re-use, the guidelines allow continued reflection of the existing built form but encourage cosmetic improvements to buildings and the provision of landscaping to soften the built form. Where building re-use is proposed, the condition of buildings and their surroundings should be improved to enhance the character of the area and provide an improved interface with Precinct G1.

Where demolition and re-development is proposed the guidelines promote a built form more congruent with the surrounding residential area, while acknowledging that new development should not be disadvantaged through a requirement to completely conform with the greater setbacks of surrounding areas.

Due to the variations between the Study Area and traditional residential areas of the municipality, the guidelines for these areas need to include design responses that alter the standards of ResCode that apply to other residential areas in Bayside under the Residential 1 zone schedule. Planning scheme controls will therefore need to be prepared to allow these variations (this is discussed further under the Planning Scheme Recommendations section). The Guidelines presented below are to be considered as exceptions to the Bayside Residential 1 zone schedule unless otherwise stated.

Preferred Future Character

The preferred neighbourhood character for the Precinct includes an eclectic mix of building styles and ages that differs from those in the surrounding residential areas. While the industrial past of the area is reflected in elements of siting and building design, overall, there is an improved interface with the surrounding residential area. Some residential development is provided within recycled commercial or industrial buildings, but where

this occurs, improvements to building facades, vehicular access and landscaping assist in providing a more consistent and attractive streetscape. Where total redevelopment occurs, the style of new buildings is more closely aligned with the character of the traditional suburban surrounds. Contemporary townhouses reflect the surrounding character through building form, the use of materials and landscaped setbacks.

Guidelines

CHARACTER ELEMENT/RESCODE STANDARD	OBJECTIVE	> DESIGN RESPONSE	AVOID
Street setback	To provide space for landscaping in front setbacks.	<ul style="list-style-type: none"> > Where existing buildings are proposed for re-use, retain space in the front setback for landscaping. > Where replacement buildings are proposed, set buildings back from the street boundary to provide space for landscaping and substantial trees, a minimum distance of 6 metres. 	<p>New buildings without front setbacks.</p> <p>Car parking in front setbacks.</p>
Access	To minimise the dominance of car parking, garages and paved areas.	<ul style="list-style-type: none"> > Remove existing excessive width vehicular crossings and provide standard residential crossover widths. > Provide no more than one vehicular crossover per typical residential site frontage or sideage. 	
Parking location	To minimise the dominance of car parking, garages and paved areas.	<ul style="list-style-type: none"> > Minimise hard paving in front and side setbacks, and remove existing car parking in front setback areas. > Locate car parking spaces, garages and car ports to the rear or side of the building. 	<p>Car parking structures that dominate the facade or view of the dwelling.</p> <p>Front and side setbacks dominated by impervious surfaces.</p>
Design detail	To ensure that extensions to existing buildings do not dominate the streetscape.	<ul style="list-style-type: none"> > Design garage doors and car parking structures to integrate with the building colours and materials. > Where existing buildings are proposed for re-use and located with 6 metres of the site frontage, recess upper levels from the front façade to a distance of at least 6 metres. 	
	To create building facades and roof forms that complement the nearby residential area.	<ul style="list-style-type: none"> > In new buildings, provide pitched roofs and articulated facades. > Use materials and colours that complement nearby residential development. > Where existing buildings are retained, utilise finishes and colours to reflect nearby residential areas. 	Poorly articulated front and side wall surfaces.
	To encourage the retention of features that add interest to the streetscape.	<ul style="list-style-type: none"> > Where building re-use is proposed, consider the retention of facade features and roof forms, such as large warehouse windows and saw tooth roof forms, that reflect the previous use. 	
Site coverage	To recognise the historically greater site coverage in the Precinct while achieving a reduction where possible.	<ul style="list-style-type: none"> > Where existing buildings are to be re-used, increase the permeable area available on-site for landscaping, and do not increase the building site coverage. > In a new development, the building site coverage should not exceed 60%. 	Developments that do not increase the permeable site area.

Side and rear setbacks	To ensure that the height and setback of a building from a boundary respects the preferred neighbourhood character.	<ul style="list-style-type: none"> > Where there are no abutting buildings, a new building not on or within 150mm of a boundary should be set back from side and rear boundaries 1 metre, plus 0.3 metres for every metre of height over 3.6 metres up to 6.9 metres, plus 1 metre for every metre of height over 6.9 metres. 	
Walls on boundaries	To ensure that the location, length and height of a wall on a boundary respects the preferred neighbourhood character.	<ul style="list-style-type: none"> > Where there are no existing or simultaneously constructed walls or carports abutting the boundary on an abutting lot, a new wall constructed on or within 150mm of a side or rear boundary of a lot or a carport constructed on or within 1 metre of a side or rear boundary of a lot should not abut the boundary for a length of more than 10 metres plus 25 per cent of the remaining length of the boundary of an adjoining lot. > Where there are existing or simultaneously constructed walls or carports abutting the boundary on an abutting lot, a new wall constructed on or within 150mm of a side or rear boundary of a lot or a carport constructed on or within 1 metre of a side or rear boundary of a lot should not abut the boundary more than: <ul style="list-style-type: none"> - The length of the existing or simultaneously constructed walls or carports, or - 10 metres plus 25 per cent of the remaining length of the boundary of an adjoining lot, whichever is the greater, and - The height of the existing building abutting the boundary. 	Buildings that appear to exceed by more than one storey the predominant building height in the street.
Landscaping	To strengthen the landscape character of the area and provide an improved interface with surrounding residential areas.	<ul style="list-style-type: none"> > Where buildings (new or existing) are set back from the street boundary, provide garden areas and include substantial vegetation. > Consider the use of more innovative landscaping options such as planter boxes, climbers, creepers on boundaries with no or minimal front, side or rear setbacks. > Provide balconies and outdoor courtyards with space for vegetation that may be visible from the street. 	<p>Lack of landscaping and vegetation.</p> <p>Avoid impervious surfaces in front, side and rear setbacks.</p>
Front fences	To maintain the openness of streetscapes and views to buildings.	<ul style="list-style-type: none"> > Provide an open frontage or a low or permeable residential style front fence. > Consider the use of vegetation as an alternative to fencing. 	High, solid front fencing.

Planning Scheme Implementation

The following actions are recommended to implement neighbourhood character controls for the Study Area:

Boundary Changes

- Include the properties at 5 and 7 Sydenham Street in the existing Precinct G1.
- Designate the remaining Study Area (Parts 1 and 2) as a new Precinct G3.

The boundary changes listed above should be adjusted on the map that appears in Clause 22.07 of the Planning Scheme, as well as in Council's GIS system.

Implementation of the new Precinct G3

- Include the Preferred Character Statement in the Neighbourhood Character Policy at Clause 22.07 of the Planning Scheme and amend the map. (nb. As the guidelines will effectively be included within the Neighbourhood Character Overlay schedule, it is not necessary to include these in the Policy also.)
- Introduce a new Neighbourhood Character Overlay (NCO) to apply to Precinct G3, including the Street setback, Site Coverage, Landscaping, Side and Rear Setbacks, Walls on boundaries, Access, Parking location, Design detail and Front fences guidelines as alternate ResCode standards.

One of the challenges in the implementation of the Precinct is the application of the variations included in Bayside's schedule to the R1Z. The variations in the schedule, including minimum street setback, site coverage and side and rear setbacks, are not considered appropriate in Precinct G3 given the existing pattern of development and the preferred future character. The provisions applying to the new Precinct G3 need to override the R1Z schedule as some are more restrictive and inappropriate for the new Precinct.

While the Design and Development Overlay provides the opportunity to include new design guidelines it does not allow for the replacement/modification of ResCode standards, and therefore the ResCode standards in the Schedule to the R1Z would also apply. It is therefore considered clearer to replace the Schedule standards by utilising the Neighbourhood Character Overlay.

Neighbourhood Character Overlay Provisions

In order to further reinforce the preferred future character that is sought in Precinct G3, it is recommended that Council introduces a NCO that would provide alternate ResCode standards for Street setback (Standards A3 and B6), Site Coverage (Standards A5 and B8), Landscaping (Standards A8 and B13), Side and Rear Setbacks (Standards A10 and B17), Walls on boundaries (Standards A11 and B18), Access (Standard B14), Parking location (Standard B15), Design detail (Standards A19 and B31) and Front fences (Standards A20 and B32) to replace and augment those found in the Residential 1 Zone schedule applying to the remainder of Bayside.

Given that the existing buildings are not of neighbourhood character significance and demolition is not discouraged, the Neighbourhood Character Overlay Schedule should not require a permit for demolition.

Specifically, the NCO schedule would include the following provisions:

Statement of Neighbourhood Character

The preferred neighbourhood character for the Precinct includes an eclectic mix of building styles and ages that differs from those in the surrounding residential areas. While the industrial past of the area is reflected in elements of siting and building design, overall, there is an improved interface with the surrounding residential area. Some residential development is provided within recycled commercial or industrial buildings, but where this occurs, improvements to building facades, vehicular access and landscaping assist in providing a more

consistent and attractive streetscape. Where total redevelopment occurs, the style of new buildings is more closely aligned with the character of the traditional suburban surrounds. Contemporary townhouses reflect the surrounding character through building form, the use of materials and landscaped setbacks.

Design objectives

- To improve the interface between former industrial areas and the surrounding traditional residential areas.
- To create more consistent and attractive streetscapes through improvements to existing building facades.
- To encourage a building style more closely aligned with the character of the traditional suburban surrounds.
- To encourage townhouse development that reflects the surrounding character through building form and the use of materials.
- To allow setbacks from front, side and rear boundaries that reflect the existing pattern of setbacks, where appropriate.
- To ensure that all setbacks are well landscaped.

Modifications to Clause 54 and 55 standards

Street setback

- Buildings should be setback a minimum of 6 metres from any street boundary.
- Where existing buildings are located within 6 metres of the street boundary, upper levels should be recessed from the ground level façade to a distance of at least 6 metres.

Side and rear setbacks

- The provisions of Clause 54.04-1 and Clause 55.04-1 apply.

Walls on boundaries

- Where existing buildings abut an existing building on an adjoining site on the boundary, new development may abut this adjoining building to approximately the same height as the existing or adjoining building (whichever is higher).

Access

- Remove existing excessive width vehicular crossings and provide standard residential crossover widths.
- Provide no more than one vehicular crossover per typical residential site frontage or sideage.

Parking location

- Minimise hard paving in front and side setbacks, and remove existing car parking in front setback areas.
- Locate car parking spaces, garages and car ports to the rear or side of the building.

Landscaping

- Where buildings (new or existing) are set back from the street boundary, provide garden areas and include substantial vegetation.
- Consider the use of more innovative landscaping options such as planter boxes, climbers, creepers on boundaries with no or minimal front, side or rear setbacks.
- Provide balconies and outdoor courtyards with space for vegetation that may be visible from the street.

Site coverage

- Where existing buildings are to be re-used, increase the permeable area available on-site for landscaping, and do not increase the building site coverage.
- In a new development, the building site coverage should not exceed 60%.

Design detail

- Design garage doors and car parking structures to integrate with the building colours and materials.
- Where existing buildings are proposed for re-use and located within 6 metres of any street frontage, recess upper levels from the ground level façade to a distance of at least 6 metres.
- In new buildings, provide pitched roofs and articulated facades.
- Use materials and colours that complement nearby residential development.
- Where existing buildings are retained, utilise finishes and colours to reflect nearby residential areas.
- Where the re-use of buildings is proposed, consider the retention of facade features and roof forms, such as large warehouse windows and saw tooth roof forms that reflect the previous use.

Front fences

- Provide an open frontage or a low or permeable residential style front fence.
- Consider the use of vegetation as an alternative to fencing.